JOURNAL OF IMMUNOGENETICS

VOLUME 13, 1986

EDITOR

G. BUTCHER

EDITORIAL BOARD

Chairman: B. CINADER TORONTO

K. BERG Oslo
H. FESTENSTEIN London
J. J. VAN ROOD Leiden
K. FISCHER LINDAHL Dallas
A. MUNRO Cambridge
T. J. GILL Pittsburgh

Advisory Board

D. B. AMOS Durham
KAREN ARTZT New York
R. V. BLANDEN Canberra City
B. D. BRONDZ Moscow
CH. DAVID Rochester
J. H. EDWARDS Oxford
V. P. EIJSVOOGEL Amsterdam
G. B. FERRARA Genova
L. FLAHERTY Albany
H. H. FUDENBERG Charleston
R. GRUBB Lund
G. A. GUTMAN Irvine
W. HAAS Basel
T. HANSEN St Louis
S. ISEKI Tokyo
H. W. KUNZ Pittsburgh
O. MÄKELÄ Helsinki
B. MALISSEN Marseille
J. J. MARCHALONIS Charleston
R. MCBRIDE Houston
G. F. MITCHELL Melbourne
J. B. NATVIG Oslo
H. T. ORR Minneapolis
P. PARHAM Stanford
E. SERCARZ Los Angeles
G. M. SHEARER Bethesda
R. I. SUKERNIK Novosibirsk
P. I. TERASAKI Los Angeles
PATRICIA TIPPETT London
W. WATKINS Harrow
H. J. WINN Boston

BLACKWELL SCIENTIFIC PUBLICATIONS

OXFORD LONDON EDINBURGH BOSTON PALO ALTO
MELBOURNE

Published by Blackwell Scientific Publications
Osney Mead, Oxford OX2 0EL
8 John Street, London WC1N 2ES
23 Ainslie Place, Edinburgh EH3 6AJ
52 Beacon Street, Boston, Massachusetts 02108, USA
667 Lytton Avenue, Palo Alto, California 94301, USA
107 Barry Street, Carlton, Victoria 3053, Australia

© 1986 Blackwell Scientific Publications,
Authorization to photocopy items for internal or
personal use, or the internal or personal use of
specific clients, is granted by
Blackwell Scientific Publications
for libraries and other users
registered with the Copyright Clearance Center
(CCC) Transactional Reporting Service,
provided that the base fee of $02.00 per copy is paid
directly to CCC, 27 Congress Street, Salem, MA
01970, USA. Special requests should be addressed
to the Editor. 0305-1811/86 $02.00

Computer typeset by SB Datagraphics. Printed
in Great Britain by Spottiswoode Ballantyne Ltd.

VOLUME CONTENTS

NO. 1 FEBRUARY

OBITUARY

C. MILSTEIN. Rodney Porter 1917–1985 1

ORIGINAL ARTICLES

S. OLIVIERO, M. DEMARCHI, B. J. E. G. BAST, B. J. M. ZEGERS, E. VAN LOGHEM, G. DE LANGE AND A. O. CARBONARA. Molecular analysis of a case of IgA2 deficiency 3

V. STENSZKY, L. KOZMA, G. SZEGEDI AND N. R. FARID. Interplay of immunoglobulin G heavy chain markers (Gm) and HLA in predisposing to systemic lupus nephritis 11

C. J. LOBB. Preferential expression of catfish light chain immunoglobulin isotypes in anti-dinitrophenyl antibodies 19

P. B. SAMOLLOW, J. L. VANDEBERG, A. L. FORD, T. C. DOUGLAS AND C. S. DAVID. Electrophoretic analysis of liver neuraminidase-1 variation in mice and additional evidence concerning the location of *Neu-1* 29

M. R. NEWTON, K. J. WOOD AND J. W. FABRE. A monoclonal alloantibody detecting a polymorphism of the rat leucocyte common (LC) antigen 41

SHORT COMMUNICATION

C. TEUSCHER. Association of *Bordetella pertussis*-induced hypersensitivity to serotonin with the *H-2* gene complex 51

BOOK REVIEW 57

NO. 2/3 APRIL/JUNE

'HISTOCOMPATIBILITY ANTIGENS ON TUMOURS', GRANADA, SPAIN, OCTOBER 1985 (Guest co-editor: H. FESTENSTEIN) 59

INTRODUCTORY ESSAY

P. DEMANT. Histocompatibility and the genetics of tumour resistance 61

MHC-CANCER ASSOCIATIONS

M. ZIJLSTRA, W. L. E. VASMEL, T. RADASKIEWICZ, E. MATTHEWS AND C. J. M. MELIEF. The H-2 complex regulates both the susceptibility to mouse viral lymphomagenesis and the phenotype of the virus-induced lympomas 69

C. NAVARRETE, A. ALONSO, J. AWAD, D. MCCLOSKEY, T. S. GANESAN, J. AMESS, T. A. LISTER AND H. FESTENSTEIN. HLA class I and class II antigen associations in acute leukaemias 77

R. T. D. OLIVER, C. A. STEPHENSON, M. C. PARKINSON, D. FORMAN, A. ATKINSON, J. BODMER AND W. F. BODMER. Hypothesis. Germ cell tumours of the testicle: a model for MHC influence on human malignancy 85

UNUSUAL OR ABERRANT MHC ANTIGEN EXPRESSION ON TUMOURS

C. PHILIPPS, H. J. STAUSS, R. D. WORTZEL AND H. SCHREIBER. A novel MHC class I molecule as a tumour-specific antigen: correlation between the antibody-defined and the CTL-defined target structure 93

H. J. STAUSS, R. LINSK, A. FISCHER, S. WATTS, D. BANASIAK, A. HABERMAN, I. CLARK, J. FORMAN, M. MCMILLAN, H. SCHREIBER AND R. S. GOODENOW. Isolation of the MHC genes encoding the tumour-specific class I antigens expressed on a murine fibrosarcoma 101

H. FESTENSTEIN AND K. M. HUI. Aberrant H-2-like allospecificities on K36.16 thymoma: studies by radiobinding and immunoprecipitation with anti-H-2 monoclonal antibodies 113

K. HUI, L. MINAMIDE, N. PRANDONI, H. FESTENSTEIN AND F. G. GROSVELD. Structural variations in the *H-2* genes of AKR lymphomas 117

W. SCHMIDT, G. NOLL, D. BEVEC AND U. HENSELING. Aberrant MHC antigens in a sarcoma virus-induced mouse tumour 123

P. L. STERN, N. BERESFORD, S. M. BELL, S. THOMPSON, K. JONES AND A. MELLOR. Murine embryonal carcinoma cells express class I MHC-like antigens 133

VARIATIONS IN MHC ANTIGEN EXPRESSION ON TUMOURS AND ITS SIGNIFICANCE

H.-G. LJUNGGREN AND K. KÄRRE. Experimental strategies and interpretations in the analysis of changes in MHC gene expression during tumour progression: opposing influences of T cell and natural killer cell mediated resistance? 141

G. J. HÄMMERLING, D. KLAR, S. KATZAV, S. SEGAL, M. FELDMAN, R. WALLICH AND A. HÄMMERLING. Manipulation of metastasis and tumour growth by transfection with histocompatibility class I genes. 153

M. L. GARRIDO, M. PÉREZ, C. DELGADO, J. ROJANO, I. ALGARRA, A. GARRIDO AND F. GARRIDO. Immunogenicity of H-2 positive and H-2 negative clones of a mouse tumour, GR9 159

C. DELGADO, A. GARRIDO, M. PÉREZ, M. L. GARRIDO, I. ALGARRA AND F. GARRIDO. Characterization of the syngeneic anti-tumour response against the GR9 tumour with the production of isoantisera and monoclonal antibodies 169

F. J. BONAL, E. PAREJA, J. MARTIN, C. ROMERO AND F. GARRIDO. Repression of class I H-2K, H-2D antigens on GR9 methylcholanthrene-induced tumour cell clones is related to the level of DNA methylation 179

S. K. SINGH, K. A. DONOVAN AND C. S. DAVID. Transcriptional control of MHC class II antigen expression on mouse T cell lines. 187

F. MOMBURG, P. MÖLLER, G. MOLDENHAUER AND G. J. HÄMMERLING. Loss of HLA-A,B,C, in colorectal carcinoma is related to the degree of de-differentiation. . . 195

M. MOORE, A. K. GHOSH, D. JOHNSTON AND A. J. STREET. Expression of MHC class II products on human colorectal cancer: an immunohistological and flow cytometric study 201

R. Garcia-Espejo, M. C. Alonso, R. Solana, C. Pera and J. Peña. Expression of HLA molecules on cells from fresh explants of human digestive tract cancer . . 211

M. A. Lopez Nevot, E. Garcia, E. Pareja, F. J. Bonal, J. Martin, F. Ruiz-Cabello, S. Serrano and F. Garrido. Differential expression of HLA class I and II antigens in primary and metastatic melanomas 219

D. J. Ruiter, E.-B. Bröcker and S. Ferrone. Expression and susceptibility to modulation by interferons of HLA class I and II antigens on melanoma cells. Immunohistochemical analysis and clinical relevance 229

G. Parmiani, D. Taramelli, A. Anichini, S. Andreola, N. Cascinelli and G. Fossati. Phenotypic heterogeneity of HLA products on human melanoma cells 235

G. Angelini, G. Fossati, P. Radice, A. Longo, P. Piccioli, M. A. Pierotti, G. B. Ferrara and G. Parmiana. Loss of polymorphic restriction fragments of class I and class II MHC genes in a malignant melanoma 241

M. Pérez T. Cabrera, M. A. Lopez Nevot, M. Gomez, F. Peran, F. Ruiz-Cabello and F. Garrido. Heterogeneity of the expression of class I and II HLA antigens in human breast carcinoma 247

M. C. Alonso, C. Navarrete, R. Solana, R. Ramirez, J. Peña and H. Festenstein. Modulation of the expression of HLA class II antigens by gamma interferon and phorbol ester TPA on myeloid leukaemic cell lines 255

Other Aspects

F. Plata, P. Langlade-Demoyen, J.-P. Abastado, T. Berbar and P. Kourilsky. Molecular definition of retrovirus-induced antigens recognized by tumour-specific H-2-restricted cytolytic T lymphocytes. 263

E. Klein, S. Torsteinsdottir, M. G. Masucci and G. Klein. Different sensitivity of B cell lines derived from Burkitt lymphoma (BL) and normal cells (LCL) to cytotoxic T cell clones generated by autologous and allogeneic stimulation . . . 269

A. V. LeFever and R. L. Truitt. Kinetic analysis of cloned cytotoxic T lymphocyte reactivity against normal and leukaemic target cells 275

R. Černy-Provaznik, T. Kloosterman, D. Verkerk, P. van Mourik, M. Reboul, B. Frangoulis, M. Pla and P. Ivanyi. Anti-MHC immunity detected prior to intentional alloimmunization. IV. Natural monoclonal H-2-specific antibodies 287

NO. 4 AUGUST

Original Articles

D. Zhou, G. A. Leslie, K. Guo and G. A. Gutman. Expression of immunoglobulin lambda chains in the laboratory rat 299

H. Thom, D. L. Lloyd and T. M. S. Reid. Maternal immunoglobulin allotype (Gm and Km) and neonatal group B streptococcal infection 309

S. LAZARY, M.-L. DUBATH, CH. LUDER AND H. GERBER. Equine leucocyte antigen system. IV. Recombination within the major histocompatibility complex (MHC) 315

V. STENSZKY, L. KOZMA, GY. SZEGEDI, I. SONKOLY, J. C. BEAR AND N. R. FARID. Heterogeneity of systemic lupus erythematosus elucidated by cluster analysis: the influence of HLA 327

P. MILLOT. Bent-limb disease in lambs. Apparent transmission with an autosomal recessive gene linked to the OL-Z minor lymphocyte antigen locus and the I locus involved in the expression of R and O antigens in sheep 341

T. CREPALDI, A. CRUMP, M. NEWMAN, S. FERRONE AND D. F. ANTCZAK. Equine T lymphocytes express MHC class II antigens 349

M. FEVRIER, C. BLEUX, J.-P. BOUVET, J. COUDERC AND P. LIACOPOULOS. Simultaneous responses to TD, TI-1 and TI-2 antigens originate from both specific and multipotent precursors.. 361

NO. 5/6 OCTOBER/DECEMBER

LETTERS TO THE EDITOR

J. DAUSSET. On the buying and selling of organs for transplantation 373

L. LEIGH FIELD. No interaction between HLA and GM in Type 1 diabetes? . . . 373

ORIGINAL ARTICLES

M.-A. SHAW. Monoclonal anti-LW^{ab} and anti-D reagents recognize a number of different epitopes: use of red cells of non-human primates 377

I. CASCINO, S. ROSENSHINE, E. TURCO, M. MARRARI, R. J. DUQUESNOY AND M. TRUCCO. Relationship between DQ_α and DQ_β RFLP and cell surface polymorphisms of class II HLA antigens. 387

R.-F. CHEN AND H. MAEDA. Functional roles of human class II antigens in T cell proliferative response: comparison of the DR and DQ molecules using mouse monoclonal antibodies 401

J. M. HUNT, M. T. BUCKLEY, B. A. LAISHES, G. W. BUTCHER AND P. A. DESAI. Electrophoretic resolution of two rat class I alloantigens expressed on (WF × F344)F_1 liver cells in primary culture 415

N. FERNANDEZ, H. FESTENSTEIN, A. ALONZO, P. A. BIRO, M. LABETA, E. CAROLAN, J. HOULIHAN, A. MELLOR AND R. FLAVELL. The expression of murine *Qa* region gene product(s) in L cell transformants 425

O. HALLE-PANNENKO, L. L. PRITCHARD, H. FESTENSTEIN AND L. BERUMEN. Abrogation of lethal graft-versus-host reaction directed against non-H-2 antigens: role of Mls^a and K/I region antigens in the induction of unresponsiveness by alloimmunization 437

D. J. MASKELL AND C. E. HORMAECHE. Genes within the major histocompatibility complex influence the response to ampicillin therapy and severity of relapse in *H-2* congenic, susceptible *Ity*^{s} mice infected with virulent *Salmonella typhimurium* . . 451

ANNOUNCEMENT 459

ACKNOWLEDGMENTS 461

AUTHOR INDEX TO VOLUME 13 463

SUBJECT INDEX TO VOLUME 13 470